

The background of the slide is a grayscale photograph of the Chain Bridge in Budapest, Hungary. The bridge's ornate stone towers and suspension cables are visible, with the city skyline in the distance. The text is overlaid on this image.

Konfigurációs tapasztalatok

IBM FlashSystem Champions – Q1 Kickoff

2026. március 25.


Elek Norbert, IBM HW infrastruktúra presales

IBM Storage Intelligence Control

- **5608-PC2** **IBM Spectrum Control Select Edition (5608-PC2)**

Selected Products		
MTM	Description	Categories
5775-STG	Support Line for Storage - 5-Year	Other Storage Software
5608-PC2	IBM Storage Intelligence Control	Management

IBM Storage Expert Care – 6 Year!!!



6 year

- 6 year IBM Storage Expert Care Basic
- 6 year IBM Storage Expert Care Advanced
- 6 year IBM Storage Expert Care Premium

A 7. év azért még továbbra sem elérhető... ☹
... de ne legyünk telhetetlenek! A pozitív trend a lényeg!

Encryption – kötelező feature!

Encryption	Min	Max	Qty		
★ ACEA Encryption USB drive pack	0	1	0	–	+
★ ACEG Encryption activated	1	1	1	–	+

Product	Description	Qty	Extended Purchase
5127-A20	FlashSystem 5600	1	39 439,00
9730	Power Cord - PDU Connection	1	29,00
ACEG	Encryption activated	1	2 564,00

[...]

Product	Description	Qty	Extended Purchase
5075-A30	FlashSystem 7600	1	193 880,00
9730	Power Cord - PDU Connection	2	60,00
ACEG	Encryption activated	1	0,00

Power Supply

Order Create Upgrade Open Local CF Report Repository

INVALID ❌

Fatal Error

5075-A30(#1): One pair of power cord is required. Please select 2 of one power cord feature on Hardware tab.

Reset Page Cancel Ok

7600: # 1:

Hardware

Cache Upgrades

★ ALGG 768 GB cache upgrade

Min Max Qty

0 1 0 - +

Power Cords

★ 9726 Power Cord - China

★ 9730 Power Cord - PDU Connection

★ AHP6 Power Cord - PDU C20

(#9730) - Power Cord - PDU Connection

This feature provides two 2.0 meter rack power distribution unit (PDU) C13 to C14 power cords.

- Minimum required: 0
- Maximum allowed: 2 (Initial order maximum: 2)
- Customer setup: Yes
- Plant / Field installable: Both
- Comments:
 - Two power cord features (97xx or AHPx) must be specified with every machine order.
 - Maximum allowed applies to total quantity of all power cord features.
 - When feature 5555 is present on the order, maximum allowed is 255 per power cord feature.


“FlashSystem Resilience 360” PROMO (ePricer)



Additional discount on Sentinel Software when purchased **with** any NEW FlashSystem ! (~30%)

In ePricer as drop-down promotion for **Value Seller**
Also available as **Special Bid**

IB
) átnevezése!!!



Köszönjük a figyelmet!